



10/ 734732

Cy C

Patent's Docket No. 1118/191

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 6,947,781 *B2*
Issued: September 20, 2005
Name of Patentee: Massachusetts Institute of Technology

Title of Invention: Vibratory Venous and Arterial Oximetry Sensor


Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R. § 1.322(a))

1. Attached is PTO/SB/44 (also Form PTO-1050) in a form suitable for printing.
2. The exact page and line number where the errors are shown correctly in the application file are:
 1. Preliminary Amendment dated 1/27/04; and
 2. Page 14, line 29
3. Please send the Certificate to:

Name: Samuel J. Petuchowski
Address: Bromberg & Sunstein LLP
125 Summer Street
Boston, MA 02110-1618

Certificate
NOV 25 2005
of Correction


Samuel J. Petuchowski, Attorney of Record

NOV 25 2005

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1PATENT NO. : 6,947,781 B2

APPLICATION NO.: 10/734,732

ISSUE DATE : September 20, 2005

INVENTOR(S) : Haruhiko H. Asada, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 1, line 4 (the first paragraph of the specification) please add:

--This invention was made with Government support under Grant No. DAMD17-02-2-2006, awarded by the Army. The Government has certain rights in the invention.--.

Col. 10, line 10

replace "a to selectively excite a resonant response in the "
with --as to selectively excite a resonant response in the --.

MAILING ADDRESS OF SENDER (Please do not use customer number below): 6,947,781

Samuel J. Petuchowski
Bromberg & Sunstein LLP
125 Summer Street
Boston, MA 02110-1618

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

NOV 25 2005